




TRUSTED VENTILATION SOLUTIONS, ENGINEERED FOR EXCELLENCE

CONTENT

METIKSA STORY	3
ANTIBACTERIAL COATING FOR AIR VALVES	4
ROUND VENTILATION VALVES	5
Frameless round ventilation valve	7
Recessed round ventilation valve	11
Surface-mounted round ventilation valve	14
Round ventilation valve “N Series”	15
Round ventilation valve for stretch ceiling	16
SQUARE VENTILATION VALVES	19
Frameless square ventilation valve	21
Recessed square ventilation valve	24
Surface-mounted ventilation valve	27
LINEAR SLOT DIFFUSERS	29
HIDDEN LINEAR SLOT DIFFUSERS	33
VENTILATION GRILLES	39
VENTILATION GRILLE BOXES	41
FRAMELESS GRILLES	44
WALL COWLS	47
COMBINED WALL COWLS	50
FLOOR GRILLE	53
THERMO AIR INSULATED DUCT	54
ADDITIONAL CONNECTORS AND ACCESSORIES	55
CONTACTS	54



METIKSA STORY

Our story began almost 30 years ago with a talented locksmith whose passion for intricate metalwork in radio-technics, dental, and medical industries laid the foundation for our family business. His dedication to precision and craftsmanship inspired his son, who not only inherited this passion but also took the reins of the company, bringing fresh leadership and vision.

Today, we specialize in manufacturing high-quality ventilation products, including diffusers, valves, grilles, and complementary components.

Guided by a commitment to excellence, we continuously improve our products and processes to meet the highest standards and exceed our customers' expectations.

ANTIBACTERIAL COATING FOR AIR VALVES

The antibacterial coating on air diffusers is an innovative technology. This coating ensures a healthier and cleaner living environment. The antibacterial coating helps to reduce the growth of bacteria, mould and other micro-organisms on the air valve surface.

WHY IS THIS IMPORTANT?

Better air quality: Bacteria and mould that grow on diffusers travel directly into the indoor air and can cause a range of health problems, from allergic reactions to respiratory problems. The antibacterial coating helps to keep the air clean and reduce the risk of these problems.

Hygiene: The antibacterial coating ensures that the diffusers remain clean and hygienic, making them safer to use in rooms with people with weaker immune systems, such as patients or children and the elderly.



ROUND VENTILATION VALVES





FRAMELESS ROUND VENTILATION VALVE (DAG)



PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAG100	200 mm	100 mm	RAL 9016	45 m ³ /h	39,00
DAG125	200 mm	125 mm		55 m ³ /h	39,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;

The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets;




The outer ring of the diffuser is made of stainless steel;

The diffuser is for air supply / exhaust only;





The diffuser is suitable for ceiling and wall mounting.



FRAMELESS ROUND VENTILATION VALVE (**DAG**) INSTALLATION INSTRUCTIONS



FRAMELESS ROUND VENTILATION VALVE (**DAG**) INSTALLATION INSTRUCTIONS





RECESSED ROUND VENTILATION VALVE (DAP)



PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	INSTALLATION SIZE	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAP100	230 mm	100 mm	200 mm	RAL 9016	45 m³/h	44,00
DAP125	230 mm	125 mm	200 mm		55 m³/h	44,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;





The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets;

The diffuser is for air supply / exhaust only;



The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.



RECESSED ROUND VENTILATION VALVE (DAP) INSTALLATION INSTRUCTIONS



RECESSED ROUND VENTILATION VALVE (**DAP**) INSTALLATION INSTRUCTIONS



SURFACE-MOUNTED ROUND VENTILATION VALVE (DAL)



PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAL100	140 mm	100 mm	RAL 9016	30 - 60 m³/h	16,00
DAL125	173 mm	125 mm		60 - 140 m³/h	16,00
DAL160	215 mm	160 mm		140 - 200 m³/h	22,00
DAL 200	250 mm	200 mm		200 - 360 m³/h	25,00
DAL 250	310 mm	250 mm		350 - 580 m³/h	36,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;

Made of stainless steel;

The diffuser is for air supply / exhaust only;

The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.



ROUND VENTILATION VALVE "N SERIES"



PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	PRICE, €
DAN100 ○	Ø 200 mm	100 mm	RAL 9016	21,00
DAN125 ○	Ø 200 mm	125 mm		21,00
DAN160 ○	Ø 270 mm	160 mm		28,00
DAN200 ○	Ø 320 mm	200 mm		36,00
DKN100 □	▧ 200 x 200 mm	100 mm		21,00
DKN125 □	▧ 200 x 200 mm	125 mm		21,00
DKN160 □	▧ 270 x 270 mm	160 mm		28,00
DKN200 □	▧ 320 x 320 mm	200 mm		36,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.

Diffusers are powder-coated with special matte "QUALICOAT" antibacterial paint, resistant to UV;

The diffuser is for air supply / exhaust only;

The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.



ROUND VENTILATION VALVE FOR STRETCH CEILING (DAI)



PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAI100	200 mm	100 mm	RAL 9016	45 m³/h	39,00
DAI125	200 mm	125 mm		55 m³/h	39,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;

The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets;


The diffuser is for air supply / exhaust only;



ROUND VENTILATION VALVE FOR STRETCH CEILING (DAI) INSTALLATION INSTRUCTIONS



ROUND VENTILATION VALVE FOR STRETCH CEILING (**DAI**) INSTALLATION INSTRUCTIONS



SQUARE VENTILATION VALVES





FRAMELESS SQUARE VENTILATION VALVE (DKG)









PRODUCT CODE	DIMENSIONS	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DKG100	200 x 200 mm	100 mm	RAL 9016	45 m³/h	39,00
DKG125	200 x 200 mm	125 mm		55 m³/h	39,00
DKG160	270 x 270 mm	160 mm		120 m³/h	45,00
DKG200	320 x 320 mm	200 mm		230 m³/h	51,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.






The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;
The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets;
The outer ring of the diffuser is made of stainless steel;
Cover can be inserted in a finishing material (gypsum board, tile, etc.);
The diffuser is for air supply / exhaust only;
The diffuser is suitable for ceiling and wall mounting.



FRAMELESS SQUARE VENTILATION VALVE (DKG) INSTALLATION INSTRUCTIONS



FRAMELESS SQUARE VENTILATION VALVE (**DKG**) INSTALLATION INSTRUCTIONS



RECESSED SQUARE VENTILATION VALVE (DKP)



PRODUCT CODE	DIMENSIONS	INSTALLATION SIZE	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DKP100	230 x 230 mm	200 x 200 mm	100 mm	RAL 9016	45 m ³ /h	34,00
DKP125	230 x 230 mm	200 x 200 mm	125 mm		55 m ³ /h	34,00
DKP160	300 x 300 mm	280 x 280 mm	160 mm		120 m ³ /h	42,00
DKP200	350 x 350 mm	330 x 330 mm	200 mm		230 m ³ /h	46,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;







The set includes: diffuser, air volume balancing damper (removable);

The diffuser is for air supply / exhaust only;




The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.



RECESSED SQUARE VENTILATION VALVE (DKP) INSTALLATION INSTRUCTIONS



RECESSED SQUARE VENTILATION VALVE (DKP) INSTALLATION INSTRUCTIONS



SURFACE-MOUNTED SQUARE VENTILATION VALVE (DKS)






PRODUCT CODE	DIMENSIONS	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DKS100	230 x 230 mm	100 mm	RAL 9016	45 m³/h	29,00
DKS125	230 x 230 mm	125 mm		55 m³/h	29,00
DKS160	300 x 300 mm	160 mm		120 m³/h	40,00
DKS 200	350 x 350 mm	200 mm		230 m³/h	44,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;
The diffuser is for air supply / exhaust only;
The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.



SURFACE-MOUNTED SQUARE VENTILATION VALVE (DKS) INSTALLATION INSTRUCTIONS



LINEAR SLOT DIFFUSERS



LINEAR SLOT DIFFUSERS (DPP)



PRODUCT CODE	DIMENSIONS	INSTALLATION SLOT SIZE	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, € (per set **)
DPP6	75 x 620 mm	50 x 600 mm	RAL 9016	70 m³/h	47,00
DPP10	75 x 1020 mm	50 x 1000 mm		120 m³/h	54,00
DPP12	75 x 1220 mm	50 x 1200 mm		145 m³/h	61,00
DPP15	75 x 1500 mm	50 x 1480 mm		170 m³/h	78,00

CUSTOM ORDERS

DPP L	75 x L mm	50 x L-20 mm	RAL9016	120 m³/h (1l/m)	Negotiated
-------	-----------	--------------	---------	-----------------	------------

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

** Set - diffuser, installation socket, air distribution box, connector.

Adjustable airflow direction (Figure 1)

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial, UV resistant paint;

The set includes: diffuser, installation socket - expansion box, “saddle” branch;

The diffuser is for air supply / exhaust only;

The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.












FIGURE 1
ADJUSTABLE AIR
FLOW DIVERTER



LINEAR SLOT DIFFUSERS (DPP) INSTALLATION INSTRUCTIONS



LINEAR SLOT DIFFUSERS (DPP) INSTALLATION INSTRUCTIONS



HIDDEN LINEAR SLOT DIFFUSERS








HIDDEN LINEAR SLOT DIFFUSERS (DPG)



PRODUCT CODE	DIMENSIONS	TOTAL DIFFUSER HEIGHT WITH EXPANSION BOX (from concrete to visible part of the ceiling)			COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY		PRICE, € (per set **)
		Ø 75	Ø 100	Ø 125		NOMINAL	MAXIMAL**	
DPG6	10 x 600 mm	H 145 mm	H 165 mm	H 185 mm	RAL 9016	40 m³/h	85 m³/h	51,00
DPG10	10 x 1000 mm					60 m³/h	140 m³/h	65,00
DPG12	10 x 1200 mm					70 m³/h	165 m³/h	69,00
DPG15	10 x 1500 mm					90 m³/h	200 m³/h	86,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

** Possible slight noise increase;



Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;




The set includes: diffuser, air expansion box, branch for duct connection (saddle);

The diffuser is for air supply / exhaust only;






The diffuser is suitable for ceiling and wall mounting.



HIDDEN LINEAR SLOT DIFFUSERS (DPG) INSTALLATION INSTRUCTIONS



HIDDEN LINEAR SLOT DIFFUSERS (DPG) INSTALLATION INSTRUCTIONS




VENTILATION GRILLES






VENTILATION GRILLES



VG



VNG



VPG

PRODUCT CODE	DIMENSIONS	CUT OUT DIMENSIONS	COLOR* (Semi-matte)	PRICE, €
VG12	120 x 220 mm	100 x 200 mm	RAL 9016	14,00
VNG12	120 x 220 mm	100 x 200 mm		19,00
VP12	120 x 220 mm	100 x 200 mm		21,00
VGBOX12	104 x 204 X 175 mm	102 x 202 mm (inside) Connection 2 x 75 mm		13,00
VG13	120 x 320 mm	100 x 300 mm		15,00
VNG13	120 x 320 mm	100 x 300 mm		20,00
VP13	120 x 320 mm	100 x 300 mm		22,00
VGBOX13	104 x 204 X 175 mm	102 x 302 mm (inside) Connection 3 x 75 mm		14,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The grill is powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;

The grill for air supply / exhaust;

The grill is suitable for ceiling and wall installation;







The set includes a grill and a mounting socket;

Possibility to order a grill according to specific dimension.


The grille can be equipped with distribution box



VENTILATION GRILLES (VG) INSTALLATION INSTRUCTIONS



VENTILATION GRILLE BOXES



PRODUCT	DIMENSION	PRICE, €
VGBOX12	Box Universal 201 x 101 mm (6 x75 Ø) without connectors	13,00
VGBOX13	Box Universal 301 x 101 mm (8 x75 Ø) without connectors	14,00
CONNECTOR	Plastic/Steel	2,50

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The grill is powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;

The grill for air supply / exhaust;

The grill is suitable for ceiling and wall installation;

The set includes a grill and a mounting socket;

Possibility to order a grill according to specific dimension.

FRAMELESS GRILL (VPGG)






PRODUCT CODE	CUT OUT DIMENSIONS	COLOR*(Semi-matte)	PRICE, €
VPGG12	100X200 mm	RAL 9016	21,00
VPGG13	100X300 mm		22,00




* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The grill is powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;
The grill for air supply / exhaust;
The grill is suitable for ceiling and wall installation;
The set includes a grill and a mounting socket;
Possibility to order a grill according to specific dimension.

FRAMELESS GRILL (VPGG)



FRAMELESS GRILL (VPGG)



WALL COWLS



WALL COWLS



PRODUCT CODE	OUTER DIMENSIONS (A,B)	CONNECTION Ø*	COLORS**	PRICE, €
ST125 P/J/B/R/NP	220 x 220 mm	125 mm	RAL 7016 GREY, RAL 9005 BLACK, RAL 9016 WHITE, RAL 8019 BROWN, STAINLESS STEEL.	49 €
ST160 P/J/B/R/NP	220 x 220 mm	160 mm		49 €
ST180 P/J/B/R/NP	220 x 220 mm	180 mm		49 €
ST200 P/J/B/R/NP	260 x 260 mm	200 mm		59 €

* Other connection dimensions are available (250mm, 315mm,..), price negotiated separately;


** The color can be selected from the RAL palette, with pricing to be negotiated separately.

All outer ventilation hoods are made of high-class stainless steel (304);


The outer cover is powder-coated (paints are resistant to UV);

The set includes: outer ventilation hood with UV protection, set of screws.



A 220 / 260
B 50 / 34 / 32 / 30
Ø 125 / 160 / 180 / 200



WALL COWLS (ST) INSTALLATION INSTRUCTIONS



COMBINED WALL COWLS




PRODUCT CODE	DIMENSIONS	CONNECTION Ø	COLORS*	PRICE, €
STDP16 STDJ16 STDB16 STDR16 STDNP16	460 x 220 mm	160 mm 100-180 mm	RAL 7016 GREY, RAL 9005 BLACK, RAL 9016 WHITE, RAL 8019 BROWN, STAINLESS STEEL.	99 €
STDP20 STDJ20 STDB20 STDR20 STDNP20	560 x 280 mm	200 mm 200 - 230 mm		129,00 €



All outer ventilation hoods are made of high-class stainless steel (304).
The outer cover is powder-coated (paints are resistant to UV).
The set includes: outer ventilation hood with UV protection, set of screws;
Combined wall cowls is designed when air intake and extraction is on the same side of the building. Easy to swap the sides for the intake and extraction;


* The color can be selected from the RAL palette, with pricing to be negotiated separately.

A 10 / 12
B 12 / 17



COMBINED WALL COWLS (STD) INSTALLATION INSTRUCTIONS





FLOOR GRILLE (VGF)



PRODUCT CODE	OUTER DIMENSIONS (A,B)	CONNECTION Ø*	COLORS**	PRICE, €
VGf12	100 x 200 mm	UNIVERSAL	RAL 9005 BLACK	46 €
VGf13	100 x 300 mm			46 €
VGFP12	100 x 200 mm			46 €
VGFP13	100 x 300 mm			46 €
VGf Box12	102 x 202 mm			24 €
VGf Box13	102 x 302 mm			24 €

The grill is powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV;
 The grill for air supply / exhaust;
 The grill is suitable for ceiling and wall installation;
 The set includes a grill and a mounting socket;
 Possibility to order a grill according to specific dimension.

* The color can be selected from the RAL palette, with pricing to be negotiated separately.




THERMO AIR INSULATED DUCT



	CODE	LENGTH	DIAMETER Ø*	WEIGHT	PRICE, €
Thermo Air EPE duct, 2 m	TA-160-O-2M	2000 mm	160 mm	~0,6 kg	53,0 €
EPE bend 90°	TA-160-A-90		160 mm, 90°	~0,3 kg	7,9 €
Connector	TA-160-M		160 mm	~0,05 kg	3,9 €


Condensation prevention – 20 mm EPE insulation protects against condensation.
 Thermal resistance (R) 0,4375 m²K/W – minimal heat loss.
 Easy installation – mechanical connection without special tools.
 Impact resistant – LDPE material ensures durability.

ADDITIONAL CONNECTORS AND ACCESSORIES



	CONNECTION Ø	PRICE, €
Komponentum Antistatic slim diffuser box K2DN125	2 x 75 mm Ø	18,6 €
Komponentum universal air distribution box - collector K1DN1259	9 x 75 mm Ø	43,3 €
Komponentum universal air distribution box - collector K1DN6012	12 x 75 mm Ø	44,4 €
Connector FL75	Plastic Ø 75 mm	2,5 €

Double fixing system.
 Convenient collector mounting - it has 4 attachment points.
 Has antistatic properties.
 Can be installed under the ceiling, above the ceiling, and on the wall.



📍 MITUVOS STREET 16A, KAUNAS,
LITHUANIA, LT-50131

📞 +370 687 18118

✉ info@metiksa.lt
vadyba@metiksa.lt