

METIKSA
TRUSTED VENTILATION SOLUTIONS, ENGINEERED FOR EXCELLENCE

CONTENT

METIKSA STORY 3
ANTIBACTERIAL COATING FOR AIR VALVES 4
ROUND VENTILATION VALVES 5
- Frameless round ventilation valve 7
- Recessed round ventilation valve 11
- Surface-mounted round ventilation valve 14
- Round ventilation valve “N Series” 15
- Round ventilation valve for stretch ceiling 16

SQUARE VENTILATION VALVES 19
- Frameless square ventilation valve 21
- Recessed square ventilation valve 24
- Surface-mounted ventilation valve 27

LINEAR SLOT DIFFUSERS 29
HIDDEN LINEAR SLOT DIFFUSERS 33
VENTILATION GRILLES 39
VENTILATION GRILLE BOXES 41
FRAMELESS GRILLES 44
WALL COWLS 47
COMBINED WALL COWLS 50
FLOOR GRILLE 53
THERMO AIR INSULATED DUCT 54
ADDITIONAL CONNECTORS AND ACCESSORIES 55
CONTACTS 56



METIKSA STORY

Our story began almost 30 years ago with a talented locksmith whose passion for intricate metalwork in radio-technics, dental, and medical industries laid the foundation for our family business. His dedication to precision and craftsmanship inspired his son, who not only inherited this passion but also took the reins of the company, bringing fresh leadership and vision.

Today, we specialize in manufacturing high-quality ventilation products, including diffusers, valves, grilles, and complementary components.

Guided by a commitment to excellence, we continuously improve our products and processes to meet the highest standards and exceed our customers' expectations.

ANTIBACTERIAL COATING FOR AIR VALVES

The antibacterial coating on air diffusers is an innovative technology. This coating ensures a healthier and cleaner living environment. The antibacterial coating helps to reduce the growth of bacteria, mould and other micro-organisms on the air valve surface.

WHY IS THIS IMPORTANT?

Better air quality: Bacteria and mould that grow on diffusers travel directly into the indoor air and can cause a range of health problems, from allergic reactions to respiratory problems. The antibacterial coating helps to keep the air clean and reduce the risk of these problems.

Hygiene: The antibacterial coating ensures that the diffusers remain clean and hygienic, making them safer to use in rooms with people with weaker immune systems, such as patients or children and the elderly.

NEOKEM
color performance

ANTIBACTERIAL
COATING

ROUND VENTILATION VALVES





FRAMELESS ROUND VENTILATION VALVE (DAG)









PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAG100	200 mm	100 mm	RAL 9016	45 m^3/h	45,00
DAG125	200 mm	125 mm		55 m^3/h	45,00


* The color can be selected from the RAL palette, with pricing to be negotiated separately.


Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets.
The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
The outer ring of the diffuser is made of stainless steel.
The diffuser is for air supply / exhaust only.
The diffuser is suitable for ceiling and wall mounting.



Ø203
1



20-30
2


3


4


5



6




7



8



9



10



11



RECESSED ROUND VENTILATION VALVE (DAP)







PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	INSTALLATION SIZE	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAP100	230 mm	100 mm	200 mm	RAL 9016	45 m^3/h	51,00
DAP125	230 mm	125 mm	200 mm		55 m^3/h	51,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.


Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets.
The diffuser is for air supply / exhaust only.
The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.


Ø205
1


20-30
2


3



4


5


6



7



8



9

SURFACE-MOUNTED ROUND VENTILATION VALVE (DAL)







PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAL100	140 mm	100 mm	RAL 9016	30 - 60 m^3/h	18,00
DAL125	173 mm	125 mm		60 - 140 m^3/h	18,00
DAL160	215 mm	160 mm		140 - 200 m^3/h	25,00
DAL 200	250 mm	200 mm		200 - 360 m^3/h	29,00
DAL 250	310 mm	250 mm		350 - 580 m^3/h	41,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
Made of stainless steel.
The diffuser is for air supply / exhaust only.
The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.





PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	PRICE, €
DAN100 ○	Ø 200 mm	100 mm	RAL 9016	24,00
DAN125 ○	Ø 200 mm	125 mm		24,00
DAN160 ○	Ø 270 mm	160 mm		32,00
DAN200 ○	Ø 320 mm	200 mm		41,00
DKN100 □	⊠ 200 x 200 mm	100 mm		24,00
DKN125 □	⊠ 200 x 200 mm	125 mm		24,00
DKN160 □	⊠ 270 x 270 mm	160 mm		32,00
DKN200 □	⊠ 320 x 320 mm	200 mm		41,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
The diffuser is for air supply / exhaust only.
The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.

ROUND VENTILATION VALVE FOR STRETCH CEILING (DAI)



PRODUCT CODE	PRODUCT DIAMETER	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DAI100	200 mm	100 mm	RAL 9016	45 m^3/h	45,00
DAI125	200 mm	125 mm		55 m^3/h	45,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets.
The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
The diffuser is for air supply / exhaust only.


20-25mm
1


2


3


4


5


6


1


2

SQUARE VENTILATION VALVES







FRAMELESS SQUARE VENTILATION VALVE (DKG)










PRODUCT CODE	DIMENSIONS	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DKG100	200 x 200 mm	100 mm	RAL 9016	45 m^3/h	45,00
DKG125	200 x 200 mm	125 mm		55 m^3/h	45,00
DKG160	270 x 270 mm	160 mm		120 m^3/h	52,00
DKG200	320 x 320 mm	200 mm		230 m^3/h	59,00


* The color can be selected from the RAL palette, with pricing to be negotiated separately.


Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The set includes: diffuser, air volume balancing damper (removable), set of mounting brackets.
The outer ring of the diffuser is made of stainless steel.
The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
Cover can be inserted in a finishing material (gypsum board, tile, etc.).
The diffuser is for air supply / exhaust only.
The diffuser is suitable for ceiling and wall mounting.


201
201
1



35-45
2


3



4



5



6


1


2


3


4


5


6

RECESSED SQUARE VENTILATION VALVE (DKP)









PRODUCT CODE	DIMENSIONS	INSTALLATION SIZE	CONNECTION Ø	COLOR*	RECOMMENDED AIR SUPPLY	PRICE, €
DKP100	230 x 230 mm	200 x 200 mm	100 mm	RAL 9016	45 m^3/h	39,00
DKP125	230 x 230 mm	200 x 200 mm	125 mm		55 m^3/h	39,00
DKP160	300 x 300 mm	280 x 280 mm	160 mm		120 m^3/h	48,00
DKP200	350 x 350 mm	330 x 330 mm	200 mm		230 m^3/h	53,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.


The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The set includes: diffuser, air volume balancing damper (removable).
The diffuser is for air supply / exhaust only.
The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.




1



2




3




4



5



6



7



8



9


SURFACE-MOUNTED SQUARE VENTILATION VALVE (DKS)





PRODUCT CODE	DIMENSIONS	CONNECTION Ø	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DKS100	230 x 230 mm	100 mm	RAL 9016	45 m^3/h	33,00
DKS125	230 x 230 mm	125 mm		55 m^3/h	33,00
DKS160	300 x 300 mm	160 mm		120 m^3/h	46,00
DKS 200	350 x 350 mm	200 mm		230 m^3/h	51,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.

Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The diffuser is for air supply / exhaust only.
The airflow is regulated by the damper. To increase the amount of airflow, the damper can be removed.
The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.



1


2


3


4

LINEAR SLOT DIFFUSERS









PRODUCT CODE	DIMENSIONS	INSTALLATION SLOT SIZE	COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY	PRICE, €
DPP6	75 x 620 mm	50 x 600 mm	RAL 9016	70 m^3/h	54,00
DPP10	75 x 1020 mm	50 x 1000 mm		120 m^3/h	62,00
DPP12	75 x 1220 mm	50 x 1200 mm		145 m^3/h	70,00
DPP15	75 x 1500 mm	50 x 1480 mm		170 m^3/h	90,00
CUSTOM ORDERS					
DPP L	75 x L mm	50 x L-20 mm	RAL9016	120m^3/h (1l/m)	Negotiated

* The color can be selected from the RAL palette, with pricing to be negotiated separately.
** Set - diffuser, installation socket, air distribution box, connector.

Adjustable airflow direction (Figure 1)
Diffusers are powder-coated with special matte “QUALICOAT” antibacterial, UV resistant paint.

The set includes: diffuser, installation socket - expansion box, “saddle” branch.
The diffuser is for air supply / exhaust only.
The diffuser is suitable for installation on the ceiling and walls, and is also suitable for stretch ceilings.





FIGURE 1
ADJUSTABLE AIR FLOW DIVERTER






1



2


3



4



5



6



7


8


9


10


11


12

HIDDEN LINEAR SLOT DIFFUSERS








HIDDEN LINEAR SLOT DIFFUSERS (DPG)








PRODUCT CODE	DIMENSIONS	TOTAL DIFFUSER HEIGHT WITH EXPANSION BOX (from concrete to visible part of the ceiling)			COLOR* (Semi-matte)	RECOMMENDED AIR SUPPLY		PRICE, € (per set)
		Ø 75	Ø 100	Ø 125		NOMINAL	MAXIMAL**	
DPG6	10 x 600 mm	$H_{145\ mm}$	H165 mm	H185 mm	RAL 9016	40 m^3/h	85 m^3/h	59,00
DPG10	10 x 1000 mm					60 m^3/h	140 m^3/h	75,00
DPG12	10 x 1200 mm					70 m^3/h	165 m^3/h	79,00
DPG15	10 x 1500 mm					90 m^3/h	200 m^3/h	99,00



* The color can be selected from the RAL palette, with pricing to be negotiated separately.
** Possible slight noise increase.


Diffusers are powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The set includes: diffuser, air expansion box, branch for duct connection (saddle).
The diffuser is for air supply / exhaust only.
The diffuser is suitable for ceiling and wall mounting.




1



2



3



4




5




6




7



8



9



10



11

VENTILATION GRILLES







VG



VNG





VPG


PRODUCT CODE	DIMENSIONS	CUT OUT DIMENSIONS	COLOR*	PRICE, €
VG12	120 x 220 mm	100 x 200 mm	RAL 9016	16,00
VNG12	120 x 220 mm	100 x 200 mm		22,00
VPG12	120 x 220 mm	100 x 200 mm		24,00
VGBOX12	104 x 204 X 175 mm	102x202 mm (inside) Connection 2 x 75mm		15,00
VG13	120 x 320 mm	100 x 300 mm		17,00
VNG13	120 x 320 mm	100 x 300 mm		23,00
VPG13	120 x 320 mm	100 x 300 mm		25,00
VGBOX13	104 x 204 X 175 mm	102x302 mm (inside) Connection 3 x 75 mm		16,00


* The color can be selected from the RAL palette, with pricing to be negotiated separately.


The grill is powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The grill for air supply / exhaust.
The grill is suitable for ceiling and wall installation.
The set includes a grill and a mounting socket.
Possibility to order a grill according to specific dimension.
The grille can be equipped with air distribution box.


1



2


3


4


5


6



PRODUCT	DIMENSION	PRICE, €
VGBOX12	Box Universal 201 x 101 mm (6 x75 Ø) without connectors	15,00
VGBOX13	Box Universal 301 x 101 mm (8 x75 Ø) without connectors	16,00
FL75 CONNECTOR	Plastic/Steel	3,00

* The color can be selected from the RAL palette, with pricing to be negotiated separately.


Ventilation boxes are designed for installation of VG type grilles.
Ventilation boxes can be made to customer requested dimensions.





PRODUCT CODE	CUT OUT DIMENSIONS	COLOR*(Semi-matte)	PRICE, €
VPGG12	100X200 mm	RAL 9016	24,00
VPGG13	100X300 mm		25,00


* The color can be selected from the RAL palette, with pricing to be negotiated separately.

The grill is powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The grill for air supply / exhaust.
The grill is suitable for ceiling and wall installation.
The set includes a grill and a mounting socket.
Possibility to order a grill according to specific dimension.


9.5 cm
1



2



3


4


5


6


7


8


9

WALL COWLS










PRODUCT CODE	OUTER DIMENSIONS (A,B)	CONNECTION Ø*	COLORS**	PRICE, €
ST125 P/J/B/R/NP	220 x 220 mm	125 mm	RAL 7016 GREY, RAL 9005 BLACK, RAL 9016 WHITE, RAL 8019 BROWN, STAINLESS STEEL.	59 €
ST160 P/J/B/R/NP	220 x 220 mm	160 mm		59 €
ST180 P/J/B/R/NP	220 x 220 mm	180 mm		59 €
ST200 P/J/B/R/NP	260 x 260 mm	200 mm		59 €

* Other connection dimensions are available (250mm, 315mm,..), price negotiated separately.
** The color can be selected from the RAL palette, with pricing to be negotiated separately.

All outer ventilation hoods are made of high-class stainless steel (304).
The outer cover is powder-coated (paints are resistant to UV).
The set includes: outer ventilation hood with UV protection, set of screws.



A 220 / 260
B 50 / 34 / 32 / 30
Ø 125 / 160 / 180 / 200








PRODUCT CODE	OUTER DIMENSIONS (A,B)	CONNECTION Ø*	COLORS**	PRICE, €
STL125 P/J/B/R/NP	220 x 220 mm	125 mm	RAL 7016 GREY, RAL 9005 BLACK, RAL 9016 WHITE, RAL 8019 BROWN, STAINLESS STEEL.	59 €
STL160 P/J/B/R/NP	220 x 220 mm	160 mm		59 €
STL180 P/J/B/R/NP	220 x 220 mm	180 mm		59 €
STL200 P/J/B/R/NP	260 x 260 mm	200 mm		59 €

* Other connection dimensions are available (250mm, 315mm,..), price negotiated separately;
** The color can be selected from the RAL palette, with pricing to be negotiated separately.

All outer ventilation hoods are made of high-class stainless steel (304).
The outer cover is powder-coated (paints are resistant to UV).
The set includes: outer ventilation hood with UV protection, set of screws.



A 220 / 260
B 50 / 34 / 32 / 30
Ø 125 / 160 / 180 / 200


Ø125
Ø160
Ø180
Ø200
1



2


3


4


5


6









PRODUCT CODE	DIMENSIONS	CONNECTION Ø	COLORS*	PRICE, €
STDP16 STDJ16 STDB16 STDR16 STDNP16	460 x 220 mm	160 mm 100-180 mm	RAL 7016 GREY, RAL 9005 BLACK, RAL 9016 WHITE, RAL 8019 BROWN, STAINLESS STEEL.	109,00 €
STDP20 STDJ20 STDB20 STDR20 STDNP20	560 x 280 mm	200 mm 200 - 230 mm		142,00 €

A 10 / 12
B 12 / 17




All outer ventilation hoods are made of high-class stainless steel (304).
The outer cover is powder-coated (paints are resistant to UV).
The set includes: outer ventilation hood with UV protection, set of screws.
Combined wall cowls is designed when air intake and extraction is on the same side of the building. Easy to swap the sides for the intake and extraction.

* The color can be selected from the RAL palette, with pricing to be negotiated separately.


230
Ø125-200
Ø125-200
1


2


3


4


5


6




VGF



VGFP

VGF BOX



PRODUCT CODE	OUTER DIMENSIONS (A,B)	CONNECTION Ø*	COLORS**	PRICE, €
VGF12	100 x 200 mm	UNIVERSAL	RAL 9005 BLACK	53,00 €
VGF13	100 x 300 mm			53,00 €
VGFP12	100 x 200 mm			53,00 €
VGFP13	100 x 300 mm			53,00 €
VGF Box12	102 x 202 mm			28,00 €
VGF Box13	102 x 302 mm			28,00 €

The grill is powder-coated with special matte “QUALICOAT” antibacterial paint, resistant to UV.
The grill for air supply / exhaust.
The grill is suitable for ceiling and wall installation.
The set includes a grill and a mounting socket.
Possibility to order a grill according to specific dimension.

* The color can be selected from the RAL palette, with pricing to be negotiated separately.







	CODE	LENGTH	DIAMETER Ø*	WEIGHT	PRICE, €
Thermo Air EPE duct, 2 m	TA-160-O-2M	2000 mm	160 mm	~0,6 kg	61,00 €
EPE bend 90º	TA-160-A-90		160 mm, 90º	~0,3 kg	9,00 €
Connector	TA-160-M		160 mm	~0,05 kg	5,00 €


Condensation prevention – 20 mm EPE insulation protects against condensation.
Thermal resistance (R) 0,4375 m²K/W – minimal heat loss.
Easy installation – mechanical connection without special tools.
Impact resistant – LDPE material ensures durability.






	CONNECTION Ø	PRICE, €
Komponentum Antistatic slim diffuser box **K2DN125**	2 x 75 mm Ø	22 €
Komponentum universal air distribution box - collector **K1DN1259**	9 x 75 mm Ø	50 €
Komponentum universal air distribution box - collector **K1DN6012**	12 x 75 mm Ø	51 €
Connector FL75	Plastic Ø 75 mm	3 €

Double fixing system.
Convenient collector mounting - it has 4 attachment points.
Has antistatic properties.
Can be installed under the ceiling, above the ceiling, and on the wall.



MITUVOS STREET 16A, KAUNAS,
LITHUANIA, LT-50131

+370 687 18118

info@metiksa.lt
vadyba@metiksa.lt